

Environmental Declaration

Företag/Company			Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00				
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-15	2	ED-2300-se	1(3)
	E-mail	info@tahydronics.com	2013 02 13		25 2500 50	- (0)
Utfärdare/Issuer	Godkän	d/Approved	Titel/Title			
Maria Ivansson	Chris	stofer Sundqvist	Environmenta FPL-PXDN12		n for product:	

Manufacturer

Namne	IMI Hydronic Engineering AB
Adress	SE-524 80 Ljung, Sweden
Phone	+46 (0)513-54000
Managmentsystem	IMI Ljung has a certified quality-, environment-, and safety management system. The management system is also certified due to the Pressure Equipment Directive. The certificates are published at homepage, www.imi-hydronic.com

General product information

Designation:	FPL-PX DN12-32
Type of product:	Coupling
Product approvals acc to:	SP 4623/86, SINTEF 0074, ETA VA 1.22/18069
Technical service life:	>20 years
The product is acc to REACH defined as:	Product
ROHS-directive (covers electric- and electronical equipment):	Brass alloys which contains <4% Bly(Pb) are excluded in ROHS.

Material composition

Nipple, Distributor and Support Bush

Product componentes	Specification of components composition	CAS-no	Weigth %	Comments
Brass	Cu 65%, Pb 2%, Si 0,7%, Zn 32% CAS: Cu 7440-50-8, Pb 7439-92-1, Si -, Zn 7440- 66-6		100	

Nut and Cone

Product componentes	Specification of components composition	CAS-no	Weigth %	Comments
Brass	Cu 58%, Pb 3%, Zn 39% (CuZn39Pb3)			

Other material information	Yes	No	Ev comment
Product is Chrome plated	Х		Up to Dy 16
Product is Nicel plated	X		<dy 16="" as="" catalogue="" chrome="" leaflet="" made="" or="" order.<="" p="" per="" plated="" to="" yellow=""></dy>
Product is galvanized		X	
Is product containing recycled material	X		Ametal is made of approx 80% recycled raw materials. Splits and scrap from the own production are recycled in the in-house foundry.









Environmental Declaration

Företag/Company			Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page
IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00				
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-15	2	ED-2300-se	2 (3)
	E-mail	info@tahydronics.com	2013 02 13		25 2500 50	_ (3)
Utfärdare/Issuer	Godkän	d/Approved	Titel/Title			
Maria Ivansson	Chris	stofer Sundqvist	Environmenta FPL-PXDN12		n for product:	

REACH and SVHC

Information about SVHC (Candidate list) acc. to REACH			
The product contains			
Packaging	The packaging is not containing any substances on the Candidate list		
X Brass	The Cupper alloy are containing > 0,1% Lead (Pb), CAS No 7439-92-1, which was put in the Candidate list		
Redmetal	2018-06-27.		

Packaging

IMI Hydronic Engineering AB is listed in REPA-register: Reg no 55603362-5601.				
Materials	Yes	No		
Cardboard/ Paper	Х		Produced of recycled material at packaging supplier.	
Plastic (Polyethylene)	Х			

Manufacturing stage

Energy consumption	The company has worked with energy savings since 1989. The company has an in-house foundry, there for example heat excess is used for heating of the offices.
Sustainability	The owner of the company, IMI plc, has made an overall commitment to fulfil FN Global Compact. Sustainability work is covered in for example "IMI Code of Conduct", and is reported in the Annual report. See also: https://www.imiplc.com/ The overall commitment from IMI plc, has been introduced through routines at IMI Ljung.

Transports

Transport	Transport contractors with pronounced sustainability work are chosen in first
contractors	hand.
To and from the company	Lorry or parcel post. The company is working with transports optimization.

Usage stage

Storage	No special demands. Normal practice.
Instructions for use	Can be found on homepage: www.imi-hydronic.com
Emissions	No emissions, if used according to normal practice and instructions for use.
Energy	The products are not energy labeled. To lower the energy usage as much as possible, balancing of the products is recommended,









Environmental Declaration

Maria Ivansson	Christofer Sundqvist		Environmental Declaration for product: FPL-PX DN12-32			
Utfärdare/Issuer	Godkänd/Approved		Titel/Title			
	E-mail	info@tahydronics.com	2013 02 13		25 2500 50	3 (3)
SE-524 80 LJUNG	Fax	+46 (0)513 508 44	2019-02-15	2	ED-2300-se	3 (3)
Företag/Company IMI Hydronic Engineering AB	Tel	+46 (0)513 540 00	Datum/Date	Utgåva/Edition	ID/ID No	Sida/Page

Waste/ Worn out product

IMI Hydronic Engineering is listed in the REPA-register: Reg no 55603362-5601.				
Materials	Yes	No		
Worn out product can be recycled	Х		Leave worn out products for recycling.	
Card board / Paper	Х		Recycle packing/paper.	
Plastic (Polyethylene)	Х		Recycle plastic.	

Waste codes

Waste	EWC code
Brass	17 04 01
Steel	17 04 05
Card Board	15 01 01
Paper(Packing)	15 01 01
Plastic	15 01 02

CO₂-load

CO ₂ -load for foundry	Climate indicator from Swedish Foundry Association (SFA) shows that Swedish foundries has the lowest emission of CO ₂ per tonne casting.
castings	The climate indicator from SFA shows for Brass, 71 kg CO ₂ per tonne casting. See also homepage http://www.gjuteriforeningen.se/dold-mapp-1/folder/





