


PRODUCT DATA SHEET MH8





2 - PRODUCT DATA SHEET V210719



PRODUCT DESCRIPTION

There's no greater freedom: with your MH8 you can enjoy maximum flexibility, even in the wilderness. Thanks to the removable lamp head, it can be used as a headlamp or handheld light. The integrated lithium-ion battery can be charged quickly at home using the magnetic USB charging cable – or on longer trips without access to a power source, you can use conventional disposable batteries. Get through long nights using the energy saving mode, or choose constant light mode for especially consistent LED power. And for sure you can choose between red, green or blue light.

- Multi-colour LEDs in red, green and blue for use when fishing or hunting
- Two energy modes (constant light and energy saving) for either especially consistent or energy-saving light
- Two types of batteries (lithium-ion and AA) provide the combined benefits of rechargeable and replaceable batteries
- Simple charging of the lithium-ion battery via magnetic USB cable
- Innovative mounting system allows for simple removal and positioning of the lamp head for maximum flexibility
- Advanced focus system for easy and intuitive adjustment of the light beam



TECHNICAL DATA	
Head diameter [mm]	31
Weight incl. batteries [g]	139
Weight without batteries [g]	98
Focus function	Yes
Head material	PC
Tube material	PC + ABS
Optic	Plastic lense (PMMA)
Headband material	Elastic fabric
Headband type	Side overhead headband
Head movement type	Stepless movement
Head movement angle [°]	50
Headband specifications	Detachable, Elastic, Washable

POWER SUPPLY	
Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Total battery voltage [V]	3.7
Total battery capacity [mAh]	1550
Total battery energy ² [Wh]	5.73
Rechargeable	Yes
UN number	UN,
	UN 3481
Energy modes	Constant Light,
	Energy Saving
Energy status indicator	Battery Indicator,
	Charge Indicator,
	Low Battery Warning
Usable batteries	AA Alkaline 1.5V,
	AA NiMH 1.2V

SWITCH		
Front Switch		

FURTHER SPECIFICATIONS		
IP class	IP54	
Drop test (drop height) [m]	2	
Working temperature range [°C]	-20 to +40	

LIGHT FUNCTIONS

Low Power, Power, Mid Power, Boost, Blink

LIGHT SOURCE	
Amount LEDs	1
LED type	Xtreme LED
Color	W/R/G/B
Color temperature [K]	6000 to 7500
Color rendering index (CRI)	70

LIGHT VALUES	5			
ANSI – Constant Light	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]	600	220	120	20
Beam distance ¹ [m]	200	140	100	40
Run time ¹ [h]		3.5	8	40
ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
ANSI – Energy Saving Light output ¹ [lm]	Boost 600	Power 400	Mid Power	Low Power
Light output ¹ [lm]	600	400	170	20
Light output¹ [lm] Beam distance¹ [m]	600	400	170	20

TECHNOLOGIES

Advanced Focus System³, Smart Light Technology, Rapid Focus, Cooling Technology, Dual Power Source, Magnetic Charge System



3 - PRODUCT DATA SHEET v210719

PACKAGING AND LOGISTICS



Exemplary Packaging Illustration



Exemplary Packaging Illustration

									_	
	١٨	\sim 1	/ A	\sim 11	\sim	1 1 1 1	$\neg \cap \Gamma$)	OIT	1 A 1
-	′ /\	ı	A /\	1 - 1 1	VII -	11/11	-115	, IV/I /	\ 	ш

Type of packaging	Window Box
Scope of delivery	1 set of rechargeable batteries, Magnetic charging cable
Item No.	500972
Customs tariff number	85131000000
Color	black / green

SINGLE PACKAGE	
Dimensions W x H x D [cm]	15 x 12 x 8.5
Gross weight [g]	321
GTIN-13	4058205013208

INNER CARTON	
Unit	6
Dimensions W x D x H [cm]	38 x 15.8 x 18.5
Gross weight [g]	2109
GTIN-13	4058205013215

EXPORT CARTON	
Unit	24
Dimensions W x D x H [cm]	41.5 x 34.5 x 41
Gross weight [kg]	9.3
GTIN-13	4058205013222

PACKAGING INFORMATION Type of packaging Window Box Scope of delivery 1 set of rechargeable batteries

Scope of derivery	Magnetic charging cable
Item No.	502156
Customs tariff number	85131000000
Color	black

SINGLE PACKAGE	
Dimensions W x H x D [cm]	15 x 12 x 8.5
Gross weight [g]	321
GTIN-13	4058205019996

INNER CARTON	
Unit	6
Dimensions W x D x H [cm]	38 x 15.8 x 18.5
Gross weight [g]	2109
GTIN-13	4058205020008

EXPORT CARTON	
Unit	24
Dimensions W x D x H [cm]	41.5 x 34.5 x 41
Gross weight [kg]	9.2
GTIN-13	4058205020015



4 - PRODUCT DATA SHEET v210719



PACKAGING AND LOGISTICS



Exemplary Packaging Illustration

PACKAGING INFORMATION

Type of packaging	Window Box
Scope of delivery	1 set of rechargeable batteries, Magnetic charging cable
Item No.	502157
Customs tariff number	85131000000
Color	black / sand

SINGLE PACKAGE	
Dimensions W x H x D [cm]	15 x 12 x 8.5
Gross weight [g]	321
GTIN-13	4058205020022

INNER CARTON	
Unit	6
Dimensions W x D x H [cm]	38 x 15.8 x 18.5
Gross weight [g]	2109
GTIN-13	4058205020039

EXPORT CARTON	
Unit	24
Dimensions W x D x H [cm]	41 x 34.5 x 41
Gross weight [kg]	9.2
GTIN-13	4058205020046



5 - PRODUCT DATA SHEET v210719



ACCESORIES

PRODUCT CATEGORY	ITEM NUMBER	PRODUCT NAME	
Battery	500987	Li-Ion Rechargeable Battery Pack 1550 mAh	
Charger / Cable	0380	USB Car Charger	
	502093	Powercase	
Fastenings / Brackets	502221	Helmet Connecting Kit Type E	
Fastenings / Brackets	502223	Helmet Connecting Kit Type G	
Charger / Cable	502271	USB Adapter 2.4A	
Fastenings / Brackets	502313	Helmet Band Fixing Clip Type A	



6 - PRODUCT DATA SHEET V210719




PRODUCT SERIES

The Ledlenser Outdoor-Series

Brightness in your Hands. Darkness under control.

Not only do mountain hikers have high standards when it comes to flashlights, headlamps and lanterns – so do campers, geocachers, hunters, anglers and many other outdoors fans. Lights from Ledlenser meet precisely these high standards of quality in terms of functionality and design. We call it "technology engineered in Germany".





7 - PRODUCT DATA SHEET v210719



FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/hrs/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".

- 2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.
- 3) EP Patent 1880139, US Patent 7,461,960
- 4) Warranty period of five years from the date of purchase, seven years if the product is registered online on our website. The warranty is valid worldwide and legal warranty rights also apply. It covers defects in materials and workmanship. For the proper functioning of rechargeable batteries a different warranty period of 24 months applies. Excluded from this warranty are the product series "Solidline", Ledlenser K1 and Ledlenser K2. The warranty does not apply to Defects in batteries, holsters, pouches, remote switches, color filters, imprints or surface coatings. The guarantor is Ledlenser GmbH & Co. KG, Kronenstr. 5 7, 42699 Solingen, Germany. More information: ledlenser.com/warranty
- 5) Charging time varies by hardware used.

