













# VAERK DUCTS AND FITTINGS 1/4

Ventilation ducts and fittings are intended to transport air inside buildings and removing polluted air outside.



STATIONSALLEEN 40 • DK-2730 HERLEV














Item no.	Supplier index	Product name	EAN code	Internal dimensions [mm]	Material	Colour	Features	Thermal Resistance (°C)
 7800443010	K0100-05/Vaerk	Round duct	5.709.728.473.145	Ø100	PVC	white	Length 50 cm	40
 7800443011	K0100-10/Vaerk	Round duct	5.709.728.473.152	Ø100	PVC	white	Length 100 cm	40
 7800443012	K0100-15/Vaerk	Round duct	5.709.728.473.169	Ø100	PVC	white	Length 150 cm	40
 7800443040	K0100-20/Vaerk	Flat to round duct connector	5.709.728.473.534	Ø100	ABS	white		40
 7800443013	K0100-21/Vaerk	Round duct nipple	5.709.728.473.176	Ø100	ABS	white		40
 7800443014	K0100-22/Vaerk	Round duct nipple with non-return valve	5.709.728.473.183	Ø100	ABS	white	Non-return valve	40
 7800443041	K0100-23/15/Vaerk	Elow 15° for round ducts	5.709.728.473.541	Ø100	ABS	white	Angle 15°	40
 7800443042	K0100-23/45/Vaerk	Elbow 45° for round ducts	5.709.728.473.558	Ø100	ABS	white	Angle 45°	40
 7800443015	K0100-23/90/Vaerk	Elbow 90° for round ducts	5.709.728.473.190	Ø100	ABS	white	Angle 90°	40
 7800443016	K0100-26/Vaerk	T-piece for round ducts	5.709.728.473.206	Ø100	ABS	white		40
 7800443017	K0100-28/Vaerk	Handle for round ducts	5.709.728.473.220	Ø100	ABS	white		40
 7800443018	K0100-30/Vaerk	Exhaust grille for round ducts	5.709.728.473.244	Ø100	ABS	white		40

# VAERK DUCTS AND FITTINGS 2/4

Ventilation ducts and fittings are intended to transport air inside buildings and removing polluted air outside.



STATIONSALLEEN 40 • DK-2730 HERLEV













	Item no.	Supplier index	Product name	EAN code	Internal dimensions [mm]	Material	Colour	Features	Thermal Resistance (°C)
	7800443019	K0125-05/Vaerk	Round duct	5.709.728.473.275	Ø125	PVC	white	Length 50 cm	40
	7800443020	K0125-10/Vaerk	Round duct	5.709.728.473.282	Ø125	PVC	white	Length 100 cm	40
	7800443021	K0125-15/Vaerk	Round duct	5.709.728.473.299	Ø125	PVC	white	Length 150 cm	40
	7800443022	K0125-21/Vaerk	Round duct nipple	5.709.728.473.305	Ø125	ABS	white		40
	7800443023	K0125-22/Vaerk	Round duct nipple with non-return valve	5.709.728.473.312	Ø125	ABS	white	Non-return valve	40
	7800443043	K0125-23/45/Vaerk	Elbow 45° for round ducts	5.709.728.473.602	Ø125	ABS	white	Angle 45°	40
	7800443024	K0125-23/90/Vaerk	Elbow 90° round ducts	5.709.728.473.329	Ø125	ABS	white	Angle 90°	40
	7800443025	K0125-26/Vaerk	T-piece for round ducts	5.709.728.473.336	Ø125	ABS	white		40
	7800443026	K0125-27/Vaerk	Wall flange for round ducts	5.709.728.473.343	Ø125	ABS	white		40
	7800443027	K0125-28/Vaerk	Handle for round ducts	5.709.728.473.367	Ø125	ABS	white		40
	7800443057	K0125-29/Vaerk	Round ducts reduction (Ø 125/100 mm), white	5.709.728.549.895	Ø125	ABS	white		40
	7800443031	K0150-05/Vaerk	Round duct	5.709.728.473.428	Ø150	PVC	white	Length 50 cm	40
	7800443032	K0150-10/Vaerk	Round duct	5.709.728.473.435	Ø150	PVC	white	Length 100 cm	40

# VAERK DUCTS AND FITTINGS 3/4

Ventilation ducts and fittings are intended to transport air inside buildings and removing polluted air outside.



STATIONSALLEEN 40 • DK-2730 HERLEV











	Item no.	Supplier index	Product name	EAN code	Internal dimensions [mm]	Material	Colour	Features	Thermal Resistance (°C)
	7800443033	K0150-15/Vaerk	Round duct	5.709.728.473.442	Ø150	PVC	white	Length 150 cm	40
	7800443034	K0150-21/Vaerk	Round duct nipple	5.709.728.473.459	Ø150	ABS	white		40
	7800443035	K0150-22/Vaerk	Round duct nipple with non-return valve	5.709.728.473.466	Ø150	ABS	white	Non-return valve	40
	7800443036	K0150-23/Vaerk	elbow piece 90° for round ducts	5.709.728.473.473	Ø150	ABS	white	Angle 90°	40
	7800443037	K0150-26/Vaerk	T-piece for round ducts	5.709.728.473.480	Ø150	ABS	white		40
	7800443038	K0150-28/Vaerk	Handle for round ducts	5.709.728.473.503	Ø150	ABS	white		40
	7800443030	K0150-29/Vaerk	Round duct reduction	5.709.728.473.398	Ø150	ABS	white		40
	7800443058	KP55-10/Vaerk	Flat duct (55x110 mm) 1,0 m long, white	5.709.728.549.901	55x110	PVC	white	Length 100 cm	40
	7800443008	KP55-20/Vaerk	Flat to round duct connector KP55-20	5.709.728.473.114	55x110	ABS	white		40
	7800443059	KP55-21/Vaerk	Flat duct connector (55x110 mm), white	5.709.728.549.918	55x110	ABS	white		40
	7800443009	KP55-23/Vaerk	Murrørs bøjning xx grader plast Ø100mm 90°	5.709.728.473.121	55x110	ABS	white	Angle 90°	40
	7800443060	KP55-24/90/Vaerk	Horizontal flat elbow 90° (55x110 mm), white	5.709.728.549.925	55x110	ABS	white	Angle 90°	40

# VAERK DUCTS AND FITTINGS 4/4

Ventilation ducts and fittings are intended to transport air inside buildings and removing polluted air outside.



STATIONSALLEEN 40 • DK-2730 HERLEV

	Item no.	Supplier index	Product name	EAN code	Internal dimensions [mm]	Material	Colour	Features	Thermal Resistance (°C)
	7800443061	KP55-25/Vaerk	Vertical flat elbow 90° (55x110 mm), white	5.709.728.549.932	55x110	ABS	white	Angle 90°	40
	7800443062	KP55-28/Vaerk	Flat duct holder (55x110 mm), white	5.709.728.549.956	55x110	ABS	white		40
	7800443063	KP75-10/Vaerk	Flat duct (75x150 mm) 1,0 m long, white	5.709.728.549.963	75x150	PVC	white	Length 100 cm	40
	7800443028	KP75-20/Vaerk	Flat to round duct connector	5.709.728.473.374	75x150	ABS	white		40
	7800443064	KP75-21/Vaerk	Flat duct connector (75x150 mm), white	5.709.728.549.970	75x150	ABS	white		40
	7800443029	KP75-23/Vaerk	murrørs bøjning xx grader plast Ø100mm 90°	5.709.728.473.381	75x150	ABS	white	Angle 90°	40
	7800443065	KP75-24/Vaerk	Horizontal flat elbow 90° (75x150 mm), white	5.709.728.549.987	75x150	ABS	white		40
	7800443066	KP75-25/Vaerk	Vertical flat elbow 90° (75x150 mm), white	5.709.728.549.994	75x150	ABS	white		40
	7800443067	KP75-28/Vaerk	Flat duct holder (75x150 mm), white	5.709.728.550.013	75x150	ABS	white		40
	7800443039	RK0/Vaerk	Round ducts reduction - multistage	5.709.728.473.510	Ø100/110/120/125/153	ABS	white		40