

MPN: HDM191950V2.00P

Premium Optic Fiber HDMI 2.0 Cable

50m

This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load



Specifications

Features	3D	Yes
	Audio Return Channel (ARC)	Yes
	Cable jacket material	Polyvinyl chloride (PVC)
	Cable length	50 m
	Cable material	Fiber optic
	Connector 1	HDMI Type A (Standard)
	Connector 1 form factor	Straight
	Connector 1 gender	Male
	Connector 2	HDMI Type A (Standard)
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Data transfer rate	18 Gbit/s
	Dolby technologies	Dolby TrueHD
	HDCP	Yes
	HDCP version	1.4/2.2
	HDMI version	2.0
	High Dynamic Range (HDR) supported	Yes
	Maximum refresh rate	60 Hz
	Maximum resolution	4096 x 2160 Pixels
	Plug and Play	Yes
	Product colour	Black
	Quantity per pack	1 kusû

Features	RoHS compliance	Yes
	Supported graphics resolutions	4096 x 2160
Other features	Quantity	1
Package dimensions (verified)	Depth Verified	28.3 cm
	Gross Weight Verified	1.898 kg
	Height Verified	7.7 cm
	Width Verified	28.9 cm
Product dimensions	Net Weight (Product, kg)	1.797999999999998 kg
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	4.5 mm

Other images

