

MPN: MC-HDM19193V2.1

HDMI Cable 8K, 3m

Ultra High-Speed 8K@60Hz 48Gbit HDMI 2.1 Cable with Dynamic HDR and enhanced Audio Return Channel (eARC). Supports resolutions up to 10K and refresh rates up to 120Hz. This cable is backwards compatible

- HDMI 2.1 8K60Hz
- 48Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



Specifications

Features

Audio Return Channel (ARC) AWG wire size 30 Bandwidth 48 MB/s Cable length 3 m Cable material Copper Colour sampling 4:4:4 Connector 1 HDMI Type A (Standard) Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 wale Male Connector 2 Gorm factor Straight Connector 2 gender Male Connector contacts plating Cold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP HDCP Yes HDMI Ethernet channel Yes HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels Plug and Play Yes	3D	Yes	
Bandwidth 48 MB/s Cable length 3 m Cable material Copper Colour sampling 4:4:4 Connector 1 HDMI Type A (Standard) Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 Form factor Straight Connector 2 Gender Male Connector 2 gender Male Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP Yes HDMI Ethernet channel Yes HDMI version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Audio Return Channel (ARC)	Yes	
Cable length 3 m Cable material Copper Colour sampling 4:4:4 Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP Yes HDCP Version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 HZ Maximum resolution 7680 x 4320 Pixels	AWG wire size	30	
Cable material Copper Colour sampling 4:4:4 Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP Yes HDCP Yes HDMI Ethernet channel Yes HDMI Version 2.1 High Dynamic Range (HDR) Supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Bandwidth	48 MB/s	
Colour sampling 4:4:4 Connector 1 HDMI Type A (Standard) Connector 1 gender Straight Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector 2 gender Male Connector contacts plating Cold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Cable length	3 m	
Connector 1 HDMI Type A (Standard) Connector 1 form factor Straight Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP Version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Cable material	Copper	
Connector 1 form factor Connector 1 gender Male Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution Straight Male Straight Male Straight Ale Standard) Straight Ale Holl Type A (Standard) Straight Ale Hall Type A (Standard) Hall Type A (Standard) Straight Ale Hall Type A (Standard) Hall Type	Colour sampling	4:4:4	
Connector 1 gender Connector 2 HDMI Type A (Standard) Connector 2 form factor Straight Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution Straight Alexander Male Connector 2 (Standard) Alexander Straight Alexander Alexander Straight Alexander Alexander High Dynamic Range 10 (HDR10) Yes Maximum refresh rate 120 Hz Maximum resolution	Connector 1	HDMI Type A (Standard)	
Connector 2 Connector 2 form factor Straight Connector 2 gender Male Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate Maximum resolution Yes Male Straight Ale Male Ale Ale Ale Ale Ale Ale Ale Ale Ale	Connector 1 form factor	Straight	
Connector 2 form factor Connector 2 gender Male Connector contacts plating Cold Data transfer rate 48 Cbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Magnetically shielded Yes Maximum refresh rate Maximum resolution Yale Straight Alle Ale Ale Ale Ale Ale Ale Ale Ale Al	Connector 1 gender	Male	
Connector 2 gender Connector contacts plating Gold Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Connector 2	HDMI Type A (Standard)	
Connector contacts plating Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Connector 2 form factor	Straight	
Data transfer rate 48 Gbit/s Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Connector 2 gender	Male	
Dolby technologies Dolby TrueHD HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution Dolby TrueHD Yes HDR10 Yes HDR10 Yes Maximum refresh rate 120 Hz Maximum resolution T680 x 4320 Pixels	Connector contacts plating	Gold	
HDCP Yes HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	Data transfer rate	48 Gbit/s	
HDCP version 1.4/2.2 HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 1.4/2.2 Yes Yes	Dolby technologies	Dolby TrueHD	
HDMI Ethernet channel Yes HDMI version 2.1 High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution Yes	HDCP	Yes	
HDMI version 2.1 High Dynamic Range (HDR) Yes supported High Dynamic Range (HDR) High Dynamic Range 10 (HDR10) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels	HDCP version	1.4/2.2	
High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Maximum refresh rate 120 Hz Maximum resolution Yes Maximum resolution	HDMI Ethernet channel	Yes	
High Dynamic Range (HDR) technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Maximum refresh rate 120 Hz Maximum resolution High Dynamic Range 10 (HDR10) Yes Maximum refresh rate	HDMI version	2.1	
technology High Dynamic Range 10 (HDR10) Yes Magnetically shielded Yes Maximum refresh rate 120 Hz Maximum resolution 7680 x 4320 Pixels		Yes	
Magnetically shieldedYesMaximum refresh rate120 HzMaximum resolution7680 x 4320 Pixels		High Dynamic Range 10 (HDR10)	
Maximum refresh rate120 HzMaximum resolution7680 x 4320 Pixels	High Dynamic Range 10 (HDR10)	Yes	
Maximum resolution 7680 x 4320 Pixels	Magnetically shielded	Yes	
	Maximum refresh rate	120 Hz	
Plug and Play Yes	Maximum resolution	7680 x 4320 Pixels	
	Plug and Play	Yes	



Features	Product colour	Black
	Quantity per pack	1 kusů
	RGB support	4:4:4
	RoHS compliance	Yes
	Supported graphics resolutions	7680 x 4320
	Supported video modes	2160p, 4320p
Other features	Quantity	1
Package dimensions	Depth (package,cm)	15.8 cm
	Gross Weight (Package, kg)	0.154 kg
	Height (package,cm)	4.1 cm
	Width (package,cm)	27.1 cm
Product dimensions	Net Weight (Product, kg)	0.05 kg
	Product Depth	15.8 cm
	Product Height	4.1 cm
	Product Width	27.1 cm
Technical details	Sustainability certificates	CE, REACH, RoHS
	Sustainability compliance	Yes
Vendor information	Brand Name	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	Cable diameter	6.3 mm



Other images



