

MPN: MC-HDM19192V2.0

# HDMI Cable 4K, 2m

Ultra High-Speed 4K@60Hz 18Gbit HDMI 2.0 Cable with Dynamic HDR and Audio Return Channel (ARC). Supports resolutions up to 4K and refresh rates up to 60Hz.

- HDMI 2.0 4K60Hz
- 18Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



## Specifications

|          |                                     |                                   |
|----------|-------------------------------------|-----------------------------------|
| Features | 3D                                  | Yes                               |
|          | Audio Return Channel (ARC)          | Yes                               |
|          | AWG wire size                       | 30                                |
|          | Bandwidth                           | 60 MHz                            |
|          | Cable jacket material               | Polyvinyl chloride (PVC)          |
|          | Cable length                        | 2 m                               |
|          | Cable material                      | Copper                            |
|          | Colour depth                        | 16 bit                            |
|          | Connector 1                         | HDMI Type A (Standard)            |
|          | Connector 1 form factor             | Straight                          |
|          | Connector 1 gender                  | Male                              |
|          | Connector 2                         | HDMI Type A (Standard)            |
|          | Connector 2 form factor             | Straight                          |
|          | Connector 2 gender                  | Male                              |
|          | Connector contacts plating          | Gold                              |
|          | Data transfer rate                  | 18 Gbit/s                         |
|          | Dolby technologies                  | DTS-HD Master Audio, Dolby TrueHD |
|          | HDCP                                | Yes                               |
|          | HDCP version                        | 2.2                               |
|          | HDMI Ethernet channel               | Yes                               |
|          | HDMI version                        | 2.0                               |
|          | High Dynamic Range (HDR) supported  | Yes                               |
|          | High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10)     |
|          | High Dynamic Range 10 (HDR10)       | Yes                               |
|          | Maximum refresh rate                | 60 Hz                             |
|          | Maximum resolution                  | 4096 x 2160 Pixels                |
|          | Plug and Play                       | Yes                               |

|                        |                                |              |
|------------------------|--------------------------------|--------------|
| Features               | Product colour                 | Black        |
|                        | Pull-off force                 | 1 kg         |
|                        | Quantity per pack              | 1 kusû       |
|                        | RGB support                    | 4:4:4        |
|                        | RoHS compliance                | Yes          |
|                        | Supported graphics resolutions | 4096 x 2160  |
|                        | Supported video modes          | 2160p        |
| Operational conditions | Operating temperature (T-T)    | -20 - 60 °C  |
| Other features         | Cable colour                   | Black        |
|                        | Quantity                       | 1            |
| Package dimensions     | Depth (package,cm)             | 20.9 cm      |
|                        | Gross Weight (Package, kg)     | 0.15 kg      |
|                        | Height (package,cm)            | 2.4 cm       |
|                        | Width (package,cm)             | 26.9 cm      |
| Product dimensions     | Net Weight (Product, kg)       | 0.12 kg      |
| Vendor information     | Brand Name                     | MicroConnect |
|                        | Warranty                       | 25 Year(s)   |
| Weight & dimensions    | Cable diameter                 | 6 mm         |

## Other images



## Recommended accessories



**MicroConnect HDMI 4K Bi-Direction Switch / Splitter**  
MPN: MC-HM-BI221



**MicroConnect USB-C, 2 x USB3.0 A, RJ45, HDMI, VGA, Type C, Dock, hub**  
MPN: USB3.1CCOM14



**MicroConnect HDMI & USB KVM Switch 2 ports**  
MPN: MC-HDMI-USBKVM-UK



**eSTUFF Gearlab Dual Full-HD USB-C Hybrid Docking Station**  
MPN: GLB232002



**MicroConnect HDMI & USB KVM Switch 2 ports**  
MPN: MC-HDMI-USBKVM



**eSTUFF 27" LED IPS, 2560 x 1440, 300cd/m2, 2 ms, HDMI 2.0, DisplayPort, DVI, 100 x 100 mm VESA**  
MPN: GLB224001