

MPN: MC-HDM19193V2.0

# HDMI Cable 4K, 3m

Ultra High-Speed 4K@60Hz 18Gbit HDMI 2.0 Cable with Dynamic HDR and Audio Return Channel (ARC). Supports resolutions up to 4K and refresh rates up to 60Hz.

- HDMI 2.0 4K60Hz
- 18Gbps
- Support YUV sampling: 4:4:4
- HDCP 2.2
- Great Performance



## Specifications

|          |                                     |                               |
|----------|-------------------------------------|-------------------------------|
| Features | 3D                                  | Yes                           |
|          | Audio Return Channel (ARC)          | Yes                           |
|          | AWG wire size                       | 30                            |
|          | Bandwidth                           | 60 MHz                        |
|          | Cable jacket material               | Polyvinyl chloride (PVC)      |
|          | Cable length                        | 3 m                           |
|          | Cable material                      | Copper                        |
|          | Colour depth                        | 16 bit                        |
|          | Connector 1                         | HDMI Type A (Standard)        |
|          | Connector 1 form factor             | Straight                      |
|          | Connector 1 gender                  | Male                          |
|          | Connector 2                         | HDMI Type A (Standard)        |
|          | Connector 2 form factor             | Straight                      |
|          | Connector 2 gender                  | Male                          |
|          | Connector contacts plating          | Gold                          |
|          | Data transfer rate                  | 18 Gbit/s                     |
|          | Dolby technologies                  | Dolby TrueHD                  |
|          | HDCP                                | Yes                           |
|          | HDCP version                        | 1.4/2.2                       |
|          | HDMI Ethernet channel               | Yes                           |
|          | HDMI version                        | 2.0                           |
|          | High Dynamic Range (HDR) supported  | Yes                           |
|          | High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10) |
|          | Maximum resolution                  | 4096 x 2160 Pixels            |
|          | Plug and Play                       | Yes                           |
|          | Product colour                      | Black                         |
|          | Quantity per pack                   | 1 kusû                        |

|                     |                                |              |
|---------------------|--------------------------------|--------------|
| Features            | RGB support                    | 4:4:4        |
|                     | RoHS compliance                | Yes          |
|                     | Supported graphics resolutions | 4096 x 2160  |
|                     | Supported video modes          | 2160p        |
| Other features      | Quantity                       | 1            |
| Package dimensions  | Depth (package,cm)             | 15.9 cm      |
|                     | Gross Weight (Package, kg)     | 0.2 kg       |
|                     | Height (package,cm)            | 3.8 cm       |
|                     | Width (package,cm)             | 21.9 cm      |
| Product dimensions  | Net Weight (Product, kg)       | 0.17 kg      |
| Vendor information  | Brand Name                     | MicroConnect |
|                     | Warranty                       | 25 Year(s)   |
| Weight & dimensions | Cable diameter                 | 7.3 mm       |

## Other images



## Recommended accessories



**Vivolink Pro DP to HDMI Adapter Ring**  
MPN: PROADRING1