

**TELESTEPS**



No.1 in telescopic work tools



# ECO LINE

For homeowners and DIY.



# PERFECT FOR HOMEOWNERS

A practical ladder that gets the job done.

Simple locking system with only two buttons. Big and small, yet simple and user friendly to handle with no compromise in quality or safety. The Eco Line has its elegant air-damping system built in to minimize squeezing fingers and for a controlled closing of the ladder. It is not only safe but makes the ladder easier to use at the same time. Safe, functional and easy to carry with you.

– The Friend for Your Home!

## SAFETY FEATURES

Eco Line is equipped with a simple and safe unlocking system. The air-damping system inside the tubes, is preventing your fingers from being pinched.

The rungs are equipped with friction profiles to minimize risk of slipping.

Eco Line is made of high-quality anodized aluminum with glass fiber reinforced plastic fittings and is also EN 131 and SP (RISE) certified.



# IT'S ALL IN THE DETAILS

A ladder is a ladder they say. But we know that it is the small details that makes the big difference.

## RUBBER TOP SECTION

Avoids sliding and damaging walls.



## ADJUSTABLE HEIGHT

Extend only to your desired height.




## SAFE RUNGS

Rungs with grooved channels to disperse dirt.




## AIR-DAMPING SYSTEM

Controlled closing to avoid pinching fingers.




## SAFE LOCKING

Red indicator tabs to ensure your safety every time.



## SMART & SAFE UNLOCKING

2 push buttons for closing the ladder.  
Autostep® - Automatic unlocking system when closing the ladder.



# CHOOSE THE RIGHT ONE

Our Eco Line is available in two different heights.

Depending on your usage we recommend different ladders. At what working height will you use the ladder? If you need to reach a working height of 4,6 meters then the 3,8 meter is the one for you.



## ECO LINE 3,0 M

Art. no.	20130-501
No. of treads	9
Tread width	40 mm
Working height	3,8 m
Length, extended	3,0 m
Length, closed	0,75 m
Width	0,5 m
Weight	9,9 kg



## ECO LINE 3,8 M

Art. no.	20138-601
No. of treads	12
Tread width	40 mm
Working height	4,6 m
Length, extended	3,8 m
Length, closed	0,93 m
Width	0,91 m
Weight	15,3 kg

# ACCESSORIES

Our accessories makes your everyday work a bit easier.

To further improve our products and personalize them to your specific needs we have a number of accessories to choose from.



## CARRY BAG

Nice and robust bag to carry the ladder in. It also protects the ladder.

Quality premium products should be treated as such. Just like a beautifully constructed car, Telesteps products needs care. Our simple and portable products just got easier to carry with – in a bag around the shoulder, while it is always protected and ready for work.

**Art. No. 9195-101**

## SLIDE PROTECTOR

Get your ladder locked safely to the roof.

When you have a place where you regularly use your ladder a roof connector is a small investment for the added safety.

**Art. No. 9203-101**



## MAINTENANCE KIT

Be safe by taking care of your ladder.

For reasons of safety and functionality, the telescopic product must always be kept clean, particularly the telescopic tubes and rungs. Dirt, filings, paint spots, glue etc. must be cleaned after each use, and before the ladder is closed.

Treat your Telesteps products with care and it will retain its unique properties.

**Art. No. 9205-101**



Many years ago, we created an icon in the world of ladders, and today we are recognized as the world leader in telescopic work tools.

With both R&D and world class production based in Sweden, the Telesteps brand and our products, are renowned for its quality and design, by many professional tradesmen worldwide ensuring we always put safety and quality first.



Telesteps AB, Box 362, 573 24 Tranås, Sweden  
info@telesteps.com | www.telesteps.com