




LEDDim Smart Master









220-240V, 50/60Hz, 3-400VA, -20°C to 35°C



NO: Impulsbryter
DA: Impulsbryter
SE: Impulsbryter
EN: Push button (optional)
FR: Bouton-poussoir (optionnel)
DE: Druckknopf (optional)
FI: Pulssikytin

NO: Minimum dimmenivåjustering
DA: Minimum justering af dæmningsniveau
SE: Minsta justering av dimningsnivå
EN: Minimum dimming level adjustment
FR: Réglage du niveau de gradation minimal
NL: Regelbaar niveau van minimale dimmingsgraad
DE: Anpassung der minimalen Dimmstufe
FI: Minimi himmennystaso



Rev: 11.12.2020

NORWAY
 SG Armaturen AS

Skytterheia 25
 N-4790 Lillesand

Tel: +47 37 50 03 00
 firmapost@sg-as.no
 www.sg-as.no

SWEDEN
 SG Armaturen AB
 Tel: +46 31 81 71 10
 info@sg-ab.se
 www.sg-ab.se

FINLAND
 SG Armaturen Oy
 Tel: +358 02 07 30 39 60
 info@sg-oy.fi
 www.sg-oy.fi

DENMARK
 SG Armaturen A/S
 Tel: +45 70 70 72 13
 info@sg-as.dk
 www.sg-as.dk

UNITED KINGDOM
 SG Lighting LTD
 Tel: +47 37 50 03 00
 info@sglighting.co.uk
 www.sglighting.co.uk


FRANCE
 SG Lighting SA/NV
 Tel: +33(0) 4 94 93 00 00
 info.france@sglighting.fr
 www.sglighting.net

BENELUX
 SG Lighting SA/NV
 Tel: +32(0) 15 20 72 71
 info.benelux@sglighting.net
 www.sglighting.net

GERMANY
 SG Leuchten GmbH
 Tel: +49 40 23 99 44 59
 info@sg-leuchten.de
 www.sg-leuchten.de



INTERNATIONAL
 SG Lighting Co Ltd.
 Tel: +86 769 88 49 20 88
 cindy@sgdgc.com
 www.sg-as.com

Maximum load




Load type	 R	 C	 R+C	 L
① Single dimmer	Max. 400W	Max. 320W	Max. 320W	✗
② Two or more dimmers	Max. 300W/pc.	Max. 240W/pc.	Max. 240W/pc.	✗


 R			
 C			
 L			



Pairing



Levels



Master

