

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Item description/product images



Description

Material:

Handle die-cast zinc DIN EN 12844.

Steel parts grade 5.8.

Version:

Handle plastic-coated or high-gloss chromed.

Steel parts trivalent blue passivated.

Note:

Standard colours are:

black satin finish, orange RAL 2004, silver metallic, high gloss chromed.

Where $L \geq 60$ mm the thread length is 60 mm.

On request:

Other threads, colours and special versions.

Dimension "H1" available in other lengths at extra charge.

Drawing reference:

1) flat point DIN 78

Clamping levers, zinc with external thread, steel parts trivalent blue passivatedItem description/product images




Clamping levers, zinc with external thread, steel parts trivalent blue passivatedItem description/product images

lift to
disengage

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Drawings



Overview of items

Clamping levers with external thread

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.0041X10	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0041X15	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0041X20	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0041X25	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0041X30	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0041X35	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0041X40	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0041X45	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0041X50	black	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0042X10	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0042X15	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0042X20	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0042X25	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0042X30	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.0042X35	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0042X40	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0042X45	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0042X50	orange RAL 2004	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0043X10	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0043X15	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0043X20	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0043X25	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0043X30	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0043X35	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0043X40	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0043X45	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0043X50	silver metallic	plastic-coated	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0046X10	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0046X15	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0046X20	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0046X25	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0046X30	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0046X35	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0046X40	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0046X45	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0046X50	silver	high-gloss chromed	0	M4	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0051X10	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0051X15	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0051X20	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0051X25	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0051X30	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0051X35	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0051X40	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0051X45	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0051X50	black	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0052X10	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0052X15	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0052X20	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0052X25	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0052X30	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0052X35	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0052X40	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0052X45	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0052X50	orange RAL 2004	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0053X10	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0053X15	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0053X20	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0053X25	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0053X30	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0053X35	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0053X40	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0053X45	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0053X50	silver metallic	plastic-coated	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.0056X10	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	10
K1659.0056X15	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	15
K1659.0056X20	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	20
K1659.0056X25	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	25
K1659.0056X30	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	30
K1659.0056X35	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	35
K1659.0056X40	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	40
K1659.0056X45	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	45
K1659.0056X50	silver	high-gloss chromed	0	M5	10	13	14	24,5	4	14,5	30	33	30	37	7	16	50
K1659.1051X10	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1051X15	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1051X20	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1051X25	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.1051X30	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1051X35	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1051X40	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1051X45	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1051X50	black	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1052X10	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1052X15	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1052X20	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1052X25	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1052X30	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1052X35	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1052X40	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1052X45	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1052X50	orange RAL 2004	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1053X10	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1053X15	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1053X20	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1053X25	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1053X30	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1053X35	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1053X40	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1053X45	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1053X50	silver metallic	plastic-coated	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1056X10	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1056X15	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1056X20	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1056X25	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1056X30	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1056X35	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1056X40	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1056X45	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1056X50	silver	high-gloss chromed	1	M5	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1061X10	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1061X15	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1061X20	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1061X25	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1061X30	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1061X35	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1061X40	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1061X45	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1061X50	black	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1062X10	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1062X15	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1062X20	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1062X25	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1062X30	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1062X35	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1062X40	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1062X45	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1062X50	orange RAL 2004	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1063X10	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1063X15	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1063X20	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20
K1659.1063X25	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1063X30	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1063X35	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1063X40	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1063X45	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1063X50	silver metallic	plastic-coated	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.1066X10	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	10
K1659.1066X15	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	15
K1659.1066X20	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	20

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.1066X25	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	25
K1659.1066X30	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	30
K1659.1066X35	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	35
K1659.1066X40	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	40
K1659.1066X45	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	45
K1659.1066X50	silver	high-gloss chromed	1	M6	10	13	14	24,5	4	14,5	31	34	40	47	7	16	50
K1659.2061X15	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2061X20	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2061X25	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2061X30	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2061X35	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2061X40	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K1659.2061X45	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K1659.2061X50	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K1659.2061X55	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2061X60	black	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.2062X15	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2062X20	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2062X25	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2062X30	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2062X35	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2062X40	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K1659.2062X45	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K1659.2062X50	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K1659.2062X55	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2062X60	orange RAL 2004	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.2063X15	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2063X20	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2063X25	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2063X30	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2063X35	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2063X40	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K1659.2063X45	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K1659.2063X50	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K1659.2063X55	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2063X60	silver metallic	plastic-coated	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.2066X15	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2066X20	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2066X25	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2066X30	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2066X35	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2066X40	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K1659.2066X45	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K1659.2066X50	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K1659.2066X55	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2066X60	silver	high-gloss chromed	2	M6	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.2081X15	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2081X20	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2081X25	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2081X30	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2081X35	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2081X40	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40
K1659.2081X45	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	45
K1659.2081X50	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	50
K1659.2081X55	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2081X60	black	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.2082X15	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	15
K1659.2082X20	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	20
K1659.2082X25	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	25
K1659.2082X30	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	30
K1659.2082X35	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	35
K1659.2082X40	orange RAL 2004	plastic-coated	2	M8	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	40

Overview of items

8/13

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.2106X55	silver	high-gloss chromed	2	M10	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	55
K1659.2106X60	silver	high-gloss chromed	2	M10	13,5	18,5	19	28,5	6,5	17,5	42,5	45,5	65	74,5	9,5	20	60
K1659.3081X15	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3081X20	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3081X25	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3081X30	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3081X35	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3081X40	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3081X45	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3081X50	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3081X55	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3081X60	black	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3082X15	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3082X20	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3082X25	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3082X30	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3082X35	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3082X40	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3082X45	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3082X50	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3082X55	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3082X60	orange RAL 2004	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3083X15	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3083X20	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3083X25	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3083X30	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3083X35	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3083X40	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3083X45	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3083X50	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3083X55	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3083X60	silver metallic	plastic-coated	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3086X15	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3086X20	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3086X25	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3086X30	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3086X35	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3086X40	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3086X45	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3086X50	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3086X55	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3086X60	silver	high-gloss chromed	3	M8	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3101X15	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3101X20	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3101X25	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3101X30	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3101X35	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3101X40	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3101X45	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3101X50	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3101X55	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3101X60	black	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3102X15	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3102X20	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3102X25	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3102X30	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3102X35	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3102X40	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3102X45	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3102X50	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3102X55	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3102X60	orange RAL 2004	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.3103X15	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3103X20	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3103X25	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3103X30	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3103X35	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3103X40	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3103X45	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3103X50	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3103X55	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3103X60	silver metallic	plastic-coated	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.3106X15	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	15
K1659.3106X20	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	20
K1659.3106X25	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	25
K1659.3106X30	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	30
K1659.3106X35	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	35
K1659.3106X40	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	40
K1659.3106X45	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	45
K1659.3106X50	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	50
K1659.3106X55	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	55
K1659.3106X60	silver	high-gloss chromed	3	M10	16	21	22	37	10	24	54,5	58,5	80	91	11	22	60
K1659.4101X20	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4101X25	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4101X30	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4101X35	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4101X40	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4101X45	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4101X50	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4101X55	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4101X60	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4101X70	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4101X80	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4101X90	black	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4102X20	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4102X25	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4102X30	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4102X35	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4102X40	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4102X45	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4102X50	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4102X55	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4102X60	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4102X70	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4102X80	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4102X90	orange RAL 2004	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4103X20	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4103X25	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4103X30	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4103X35	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4103X40	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4103X45	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4103X50	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4103X55	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4103X60	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4103X70	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4103X80	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4103X90	silver metallic	plastic-coated	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4106X20	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4106X25	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4106X30	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4106X35	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4106X40	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4106X45	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.4106X50	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4106X55	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4106X60	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4106X70	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4106X80	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4106X90	silver	high-gloss chromed	4	M10	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4121X20	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4121X25	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4121X30	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4121X35	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4121X40	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4121X45	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4121X50	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4121X55	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4121X60	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4121X70	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4121X80	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4121X90	black	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4122X20	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4122X25	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4122X30	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4122X35	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4122X40	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4122X45	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4122X50	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4122X55	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4122X60	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4122X70	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4122X80	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4122X90	orange RAL 2004	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4123X20	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4123X25	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4123X30	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4123X35	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4123X40	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4123X45	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4123X50	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4123X55	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4123X60	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4123X70	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4123X80	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4123X90	silver metallic	plastic-coated	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.4126X20	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	20
K1659.4126X25	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	25
K1659.4126X30	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	30
K1659.4126X35	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	35
K1659.4126X40	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	40
K1659.4126X45	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	45
K1659.4126X50	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	50
K1659.4126X55	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	60
K1659.4126X60	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	55
K1659.4126X70	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	70
K1659.4126X80	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	80
K1659.4126X90	silver	high-gloss chromed	4	M12	19	27	27,5	43	10	27	63	67,5	95	109	13	24	90
K1659.5121X25	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K1659.5121X30	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K1659.5121X35	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K1659.5121X40	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K1659.5121X45	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K1659.5121X50	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K1659.5121X55	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K1659.5121X60	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.5121X70	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K1659.5121X80	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K1659.5121X90	black	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90
K1659.5122X25	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K1659.5122X30	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K1659.5122X35	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K1659.5122X40	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K1659.5122X45	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K1659.5122X50	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K1659.5122X55	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K1659.5122X60	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60
K1659.5122X70	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K1659.5122X80	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K1659.5122X90	orange RAL 2004	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90
K1659.5123X25	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K1659.5123X30	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K1659.5123X35	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K1659.5123X40	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K1659.5123X45	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K1659.5123X50	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K1659.5123X55	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K1659.5123X60	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60
K1659.5123X70	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K1659.5123X80	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K1659.5123X90	silver metallic	plastic-coated	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90
K1659.5126X25	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	25
K1659.5126X30	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	30
K1659.5126X35	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	35
K1659.5126X40	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	40
K1659.5126X45	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	45
K1659.5126X50	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	50
K1659.5126X55	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	55
K1659.5126X60	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	60
K1659.5126X70	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	70
K1659.5126X80	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	80
K1659.5126X90	silver	high-gloss chromed	5	M12	23	31	32	49	12	31,5	73	77,5	110	126	15	26	90
K1659.5161X25	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	25
K1659.5161X30	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	30
K1659.5161X35	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	35
K1659.5161X40	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	40
K1659.5161X45	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	45
K1659.5161X50	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	50
K1659.5161X55	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	55
K1659.5161X60	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	60
K1659.5161X70	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	70
K1659.5161X80	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	80
K1659.5161X90	black	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	90
K1659.5162X25	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	25
K1659.5162X30	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	30
K1659.5162X35	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	35
K1659.5162X40	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	40
K1659.5162X45	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	45
K1659.5162X50	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	50
K1659.5162X55	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	55
K1659.5162X60	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	60
K1659.5162X70	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	70
K1659.5162X80	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	80
K1659.5162X90	orange RAL 2004	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	90
K1659.5163X25	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	25
K1659.5163X30	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	30
K1659.5163X35	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	35
K1659.5163X40	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	40

Clamping levers, zinc with external thread, steel parts trivalent blue passivated

Overview of items

Order No.	Main colour	Surface finish body	Size	X	D	D1	D2	H	H1	H2	H3	H4	A	A1	B	No. of teeth	L
K1659.5163X45	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	45
K1659.5163X50	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	50
K1659.5163X55	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	55
K1659.5163X60	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	60
K1659.5163X70	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	70
K1659.5163X80	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	80
K1659.5163X90	silver metallic	plastic-coated	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	90
K1659.5166X25	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	25
K1659.5166X30	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	30
K1659.5166X35	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	35
K1659.5166X40	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	40
K1659.5166X45	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	45
K1659.5166X50	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	50
K1659.5166X55	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	55
K1659.5166X60	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	60
K1659.5166X70	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	70
K1659.5166X80	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	80
K1659.5166X90	silver	high-gloss chromed	5	M16	23	31	32	49	12	31,10	73	77,10	110	126	15	26	90