



SIGNALLING COLUMN SINGLE-FLASH LIGHT ELEMENT
YELLOW,
24V DC

General technical details:

Product brand name		SIRIUS
product designation		signaling columns element, optical
Product component / fluorescent materials		Yes
Design of the optical signal		flash light
Type of voltage		
• of the operating voltage		DC
• of the supply voltage		
• of the fluorescent material		DC
Operating voltage		
• 1 / for DC / rated value	V	24
Consumed current / for rated value of supply voltage	mA	125
Supply voltage		
• 1 / of the fluorescent material / for DC / rated value	V	24
Item designation		
• according to DIN 40719 extendable after IEC 204-2 / according to IEC 750		H
• according to DIN EN 61346-2		P

Mechanical design:

Color / of the optical signal element		yellow
--	--	--------

External diameter / of the signal column element	mm	70
--	----	----

Lamp:

Nature of fluorescent material	filament lamp / LED
--------------------------------	---------------------

Ambient conditions:

Ambient temperature

- during operating

°C

-20 ... +50

Protection class IP

IP65

Depth

mm

70

Height

mm

56

Width

mm

70

Certificates/approvals:

General Product Approval

Shipping Approval

other

[ROSTEST](#)



[Manufacturer](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

Cax online generator:



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8WD4420-0CD/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WD4420-0CD



last change:

Nov 4, 2011