# SIEMENS

**Product data sheet** **5TE4821**

| product brand name | SENTRON |
|---|---|



Similar to image

PUSHBUTTON, D=70MM 1NC 20A,
1BUTTON RED LAMP 230V

| Technical data: | | |
|---|---|---|
| **Number of NC contacts** | | 0 |
| **Type of voltage** | | AC |
| **Number of change-over switches** | | 0 |
| **Mounting depth** | mm | 70 |
| **Number of NO contacts** | | 1 |
| **Number of width units** | | 1 |
| **Current / rated value** | A | 20 |
| **Color / of the button** | | red |
| **Product component / Signal lamp** | | Yes |
| **Operating voltage / rated value** | V | 400 |
| **Active power / for filament lamp load / maximum** | W | 0.17 |
| **Protection class IP** | | IP20 |
| **Active power loss / at rated value current / with AC / in warm operating state / per pole** | W | 0.6 |
| **Height** | mm | 90 |
| **Width** | mm | 18 |
| **Depth** | mm | 70 |

| Net weight | g | 73 |
|---|---|---|
| Reference ID / according to DIN EN 61346-2 | | S |
| Item designation / according to DIN EN 81346-2 | | S |

## Certificates/approvals:

| General Product Approval | | | Declaration of Conformity | other |
|---|---|---|---|---|
| CCC | GOST | VDE | CE EG-Konf. | Environmental Confirmations |

## Further information:

**Information- and Downloadcenter (Catalogs, Brochures,…)**
http://www.siemens.com/lowvoltage/catalogs

**Industry Mall (Online ordering system)**
https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TE4821

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**
http://support.automation.siemens.com/WW/view/en/5TE4821/all

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE4821

**CAx-Online-Generator**
http://www.siemens.com/cax

**Tender specifications**
Datanorm GAEB81 GAEB83 RTF TXT

1

○ ○

○ ○

X6  N

○ ○

○ ○

2

I2Y1_00363

18

7 ←24→

44

64

70

45

67

90

**last change:**                                        Mar 17, 2014