

product brand name

SETRON

PUSHBUTTON, D=70MM 2NC 20A,
1BUTTON RED LAMP 230V



Similar to image

Technical data:		
Number of NC contacts		0
Type of voltage		AC
Number of change-over switches		0
Mounting depth	mm	70
Number of NO contacts		2
Number of width units		1
Current / rated value	A	20
Color / of the button		red
Product component / Signal lamp		Yes
Operating voltage / rated value	V	400
Active power / for filament lamp load / maximum	W	0.17
Protection class IP		IP20
Active power loss / at rated value current / with AC / in warm operating state / per pole	W	0.6
Height	mm	90
Width	mm	18
Depth	mm	70

Net weight	g	84
Reference ID / according to DIN EN 61346-2		S
Item designation / according to DIN EN 81346-2		S

Certificates/approvals:

General Product Approval	Declaration of Conformity	other
 CCC	 EG-Konf.	Environmental Confirmations
 GOST	 VDE	

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TE4823>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TE4823/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE4823

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Mar 17, 2014