

Labeling plate for snapping on or gluing on label holder, Label size 17.5 x 27 mm, silver label, black font, with graphic symbol: arrow pointing to the right




Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Vibration resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Installation/ mounting/ dimensions	
Height	17.5 mm
Width	27 mm
Accessories	
Material of accessory	Plastic
Mounting type of label	snap on / stick
Marking of the name plate for command devices	SYMBOL: MOVEMENT DIRECTION OF ARROW TO THE RIGHT

Shape of the name plate for command devices	rectangular
Color of the label	silver/black (plate/text)
Printed ISO symbols	SYMBOL: MOTION ARROW POINTING RIGHT

Certificates/approvals

General Product Approval		Declaration of Conformity	Test Certificates	
				Declaration of the Compliance with the order Special Test Certificate
CSA	UL		EG-Konf.	

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AD81-0QR0>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AD81-0QR0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AD81-0QR0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AD81-0QR0&lang=en



last modified:

07/02/2018