

Labeling plate for gluing on enclosure, label size 22x22 mm, black label, white font, with inscription: Rapide



Figure similar

Product brand name	SIRIUS ACT
Product designation	Labeling plate
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Shock resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Vibration resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Installation/ mounting/ dimensions	
Height	22 mm
Width	22 mm
Accessories	
Material of accessory	Plastic
Mounting type of label	stick
Marking of the name plate for command devices	Rapide
Shape of the name plate for command devices	Square

Color of the label

black/white (plate/text)

Certificates/approvals

General Product Approval



CSA



UL



EG-Konf.

Declaration of Conformity

Test Certificates

[Declaration of the
Compliance with the
order](#)

[Special Test Certi-
ficate](#)

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AF16-0GL0>

Cax online generator

<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AF16-0GL0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AF16-0GL0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AF16-0GL0&lang=en



last modified:

07/02/2018