

Accessory for 3KF size 2 Direct operating mechanism, gray Can be locked in OFF position with three padlocks



| Model                                              |                                      |
|----------------------------------------------------|--------------------------------------|
| Product brand name                                 | SETRON                               |
| Product designation                                | Accessories for switch disconnectors |
| Design of the product                              | Direct operating mechanism           |
| Suitability for use                                | For 3KF size 2                       |
| Color / of the actuating element                   | gray                                 |
| Product description                                | Lockable with up to 3 locks          |
| Product function / can be locked into OFF position | Yes                                  |
| Accessories                                        | Direct operating mechanism           |
| Mechanical Design                                  |                                      |
| Net weight                                         | 250 g                                |
| Certificates                                       |                                      |
| Reference code                                     |                                      |
| • acc. to DIN EN 61346-2                           | Q                                    |
| • acc. to DIN EN 81346-2                           | Q                                    |

| General Product Approval                                                          |                                                                                   | Declaration of Conformity                                                         | Shipping Approval                                                                   | other |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
|  |  |  |  |       |
| CCC                                                                               | VDE                                                                               | EG-Konf.                                                                          | LRS                                                                                 |       |

[Miscellaneous](#)

[Miscellaneous](#)

#### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KF9201-1AA00>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3KF9201-1AA00>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3KF9201-1AA00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KF9201-1AA00)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



