

AUXILIARY CIRCUIT SWITCH 1NO+1NC, FOR MCB  
ACC.UL489



| Model                                   |  |                          |
|-----------------------------------------|--|--------------------------|
| product brand name                      |  | SETRON                   |
| Product designation                     |  | Auxiliary current switch |
| Design of the product                   |  | Mountable                |
| Design of the product / factory mounted |  | No                       |
| Control current                         |  |                          |
| Type of voltage / of control voltage    |  | AC/DC                    |
| Product details                         |  |                          |
| Product extension                       |  | Auxiliary current switch |
| • can be mounted                        |  | Circuit breaker          |
| Number                                  |  |                          |
| Number of fault signal contacts         |  | 0                        |
| Number of NC contacts                   |  | 1                        |
| Number of NO contacts                   |  | 1                        |
| Number of CO contacts                   |  | 0                        |
| Mechanical Design                       |  |                          |
| Number of width units                   |  | 0.5                      |

Net weight

g

85

General Product Approval

Declaration of Conformity



CCC



UL



VDE



EG-Konf.

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5ST30100HG>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<http://support.automation.siemens.com/WW/view/en/5ST30100HG/all>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**


[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5ST30100HG](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST30100HG)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://ausschreibungstexte.siemens.com/tiplv>



**last modified:**

02.06.2016