



CONTACTOR BASE

General technical data:

Product brand name		SIRIUS
product designation		contactor base
Design of the product		for assembling direct or reversing starters size S00
Acceptability for application		3RA2 load feeder

Installation/mounting/dimensions:

Built in orientation		any
Type of mounting		snap-on mounting
Width	mm	44.8
Height	mm	159.8
Depth	mm	63.1
Distance, to be maintained, conductive elements		
• backwards	mm	0
Distance, to be maintained, to earthed part		
• backwards	mm	0
Distance, to be maintained, to the ranks assembly		
• backwards	mm	0

Certificates/approvals:

Verification of suitability		CE / UL / CSA / CCC
-----------------------------	--	---------------------

General Product Approval



CSA

[ROSTEST](#)



UL

Test Certificates

[Manufacturer](#)

Shipping Approval



ABS



GL



LRS



PRS



RINA



RMRS

other

[Manufacturer](#)

[other](#)



VDE

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

CAX-Online-Generator



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RV2927-7AA00/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RV2927-7AA00



last change:

Aug 19, 2011