SIEMENS

Product data sheet 3RV2902-1AV0



UNDERVOLTAGE RELEASE, AC 400V/50HZ, AC 440V/60HZ W. SCREW CONNECTION; FOR CIRCUIT-BREAKERS, SZ S00/S0

General technical data:			
Product brand name		SIRIUS	
product designation		undervoltage release	
Size of the circuit-breaker		S00, S0	
Acceptability for application		motor circuit breaker	
Protection class IP / on the front		IP20	
Design of the short-circuit protection		fuse	
Degree of pollution		3	
Insulation voltage / rated value	V	690	
Insulation voltage / with degree of pollution 3 / rated value	V	690	
Ambient temperature			
during storage	°C	-50 80	
during operating	°C	-20 60	
Item designation			
 according to DIN 40719 extendable after IEC 204-2 / according to IEC 750 		F	
according to DIN EN 61346-2		F	

Auxiliary circuit:	
Number of NC contacts / for auxiliary contacts	
• instantaneous switching	0

Number of NO contacts / for auxiliary contacts	
• instantaneous switching	0
Number of changeover contacts / of the auxiliary contacts	
• instantaneous switching	0


Control circuit:			
Type of voltage / of the controlled supply voltage		AC	
Control supply voltage frequency			
• 1 / initial rated value	Hz	50	
• 1 / final rated value	Hz	60	
Control supply voltage			
• 1 / at 50 Hz / for AC / rated value	V	400	
• 1 / at 60 Hz / for AC / rated value	V	440	

Installation/mounting/dimensions:		
Type of mounting		snap-on mounting
Width	mm	18.5
Height	mm	90
Depth	mm	68

Certificates/approvals:

Verification of suitability CE / UL / CSA / CCC

General Product Approval







Manufacturer

Shipping Approval













other

Manufacturer

other



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)


http://www.siemens.com/industrial-controls/mall


CAx-Online-Generator


http://www.siemens.com/cax

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RV2902-1AV0







last change: Aug 24, 2011