



STANDARD MOUNTING RAIL ADAPTER,  
SIZE S00, S0,  
FOR MECHANICAL FIXING OF CIRCUIT BREAKER &  
CONTACTOR CAN BE SNAPPED ONTO STANDARD  
MOUNT. RAIL OR FOR SCREW FIX.,  
(MULTI-UNIT PACKAGING)

## General technical data:

Product brand name		SIRIUS
product designation		mounting rail adapter
Design of the product		for mechanical mounting of circuit breaker and contactor
Size of the circuit-breaker		S00, S0
Size of the contactor		S00, S0

## Installation/mounting/dimensions:

Type of mounting		screw and snap-on mounting onto 35 mm standard mounting rail
Width	mm	45
Height	mm	265
Depth	mm	28.8

## Certificates/approvals:

Verification of suitability		CE / UL / CSA / CCC
-----------------------------	--	---------------------

<b>General Product Approval</b>	<b>Test Certificates</b>
---------------------------------	--------------------------

[ROSTEST](#)

[Manufacturer](#)

#### Shipping Approval



ABS



DNV



GL



LRS



PRS



RINA

#### Shipping Approval

other



RMRS

[Manufacturer](#)

[other](#)

#### Further information:

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

##### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

##### CAX-Online-Generator


<http://www.siemens.com/cax>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3RA2922-1A/all>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3RA2922-1A](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RA2922-1A)



last change:

Oct 24, 2011