

SAFETY MAIN CURRENT CONNECTOR FOR SERIES  
CONNECTION OF TWO 3RT202. CONTACTORS,  
SIZE S0 SCREW TERMINALS

### General technical data:

Product brand name		SIRIUS
product designation		connection module for 2 contactors in series
Size of the circuit-breaker		S0
Size of the contactor		S0
Design of the product		actuating voltage contactor: AC and DC
Acceptability for application		series connections of 2 contactors

### Installation/mounting/dimensions:

Type of mounting		screw fixing
Width	mm	97.5
Height	mm	109.8
Depth	mm	24.8

### Certificates/approvals:

**General Product Approval**

CSA

[ROSTEST](#)

UL

**Test Certificates**[Manufacturer](#)**Shipping Approval**

ABS



DNV



GL



LRS



PRS





RINA

**Shipping Approval****other**[other](#)

RMRS

**Further information:****Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/industrial-controls/catalogs>**Industry Mall (Online ordering system)**<http://www.siemens.com/industrial-controls/mall>**CAX-Online-Generator**<http://www.siemens.com/cax>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<http://support.automation.siemens.com/WW/view/en/3RA2926-1A/all>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3RA2926-1A](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3RA2926-1A)



last change:

Oct 21, 2011