SIEMENS

Data sheet

3RW5980-0HF00

HMI module High-Feature



Figure similar

Product brand name	SIRIUS	
Product category	HMI modules	
Product designation	HMI module	
Design of the product	High-Feature	
General technical data		
Protection class IP	IP20; IP64 with accessory door mounting kit	
Degree of protection NEMA rating	NEMA 4 with accessory door mounting kit	
Installation/ mounting/ dimensions		
Mounting position	with vertical mounting surface +/-90° rotatable, with vertical	
	mounting surface +/- 22.5° tiltable to the front and back	
Mounting type	snap-on mounting	
Height	68 mm	
Width	111 mm	
Depth	32.15 mm	
Ambient conditions		
Ambient temperature		
 during operation 	-25 +60 °C	

 during storage and transport 	-40 +80 °C
Environmental category	
 during operation acc. to IEC 60721 	3K6 (no ice formation, only occasional condensation), 3C3 (no salt mist), 3S2 (sand must not get into the devices), 3M6
• during storage acc. to IEC 60721	1K6 (only occasional condensation), 1C2 (no salt mist), 1S2 (sand must not get inside the devices), 1M4
 during transport acc. to IEC 60721 	2K2, 2C1, 2S1, 2M2 (max. height of fall 0.8 m)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RW5980-0HF00

Cax online generator

http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RW5980-0HF00


Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3RW5980-0HF00

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...) http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RW5980-0HF00&lang=en

Characteristic: Tripping characteristics, I²t, Let-through current https://support.industry.siemens.com/cs/ww/en/ps/3RW5980-0HF00/char

Characteristic: Installation altitude

http://www.automation.siemens.com/bilddb/index.aspx?view=Search&mlfb=3RW5980-0HF00&objecttype=14&gridview=view1





last modified:

07/04/2018