# SIEMENS

## **Product data sheet**

5SY7316-7



Similar to image

| Technical data:   |    |                                 |  |
|---|----|---------------------------------|--|
| Overvoltage class   |    | 3                               |  |
| type of voltage   | -  | AC/DC                           |  |
| Tripping characteristic class   |    | C                               |  |
| Degree of pollution   |    | 3                               |  |
| Mounting depth  | mm | 70                              |  |
| Energy limiting class   |    | 3                               |  |
| Number of poles   |    | 3                               |  |
| Number of pitch units for width   |    | 3                               |  |
| Product function / n-switching  |    | No                              |  |
| Supply voltage frequency / rated value                                    | Hz | 50                              |  |
| Switching capacity current / in accordance with IEC 60947-2 / rated value | kA | 25                              |  |
| Breaking capacity current / acc. to EN 60898 / rated value                | kA | 15                              |  |
| Supply voltage / for AC / rated value                                     | V  | 400                             |  |
| Current / for AC / rated value  | A  | 16                              |  |
| Protection class IP   |    | IP20, with connected conductors |  |
| Product extension / can be installed / supplementary device               |    | Yes                             |  |
| power loss  |    | -                               |  |

CIRCUIT BREAKER 400V 15KA, 3-POLE, C, 16A, D=70MM

| Operational voltage Um  |   | -                                     |
|---|---|---------------------------------------|
| rated current In  |   | -                                     |
| Rated make-break capacity Icn   |   | -                                     |
| Rated service short-circuit breaking capacity Ics                       |   | -                                     |
| Rated ultimate short-circuit breaking capacity Icu                      |   | -                                     |
| Tripping characteristics Number   |   | -                                     |
| Tripping characteristic/-class Conventional tripping current I2, (x In) |   | -                                     |
| rated current In IEC, DIN/VDE   |   | -                                     |
| Tripping characteristic/-class Test current I4, hold (x In)             |   | -                                     |
| rated current In / IEC, DIN/VDE   |   |                                       |
| • at 30 Cel   | А | 16                                    |
| • at 40 Cel   | А | 15.2                                  |
| • at 45 Cel   | А | 14.88                                 |
| • at 50 Cel   | А | 14.4                                  |
| • at 55 Cel   | А | 13.92                                 |
| • at 60 Cel   | А | 13.6                                  |
| Resistance against shock / according to IEC 60068-2-27                  |   | 150m/s <sup>2</sup> at 11ms half-sine |

Certificates/approvals:

General Product Approval
Declaration of Conformity

IMQ
ROSTEST
Image: Colspan="3">Manufacturer

Shipping Approval
other
other

Image: Colspan="3">Image: Colspan="3">Other

Image: Colspan="3">Image: Colspan="3">Image: Colspan="3">Other

Image: Colspan="3">Image: Colspan="3"Image: Colspan="3"Image: Colspan="3"Image: Colspan="3"Image: Colspan="3"Image: Co

### Further information:

Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs

#### Industry Mall (Online ordering system)


http://www.siemens.com/lowvoltage/mall


Service&Support (Manuals, Certificates, Characteristics, FAQs,...) http://support.automation.siemens.com/WW/view/en/5SY7316-7/all


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=5SY7316-7

# CAx-Online-Generator

http://www.siemens.com/cax







last change: