SIEMENS

Product data sheet 5SY7510-8



CIRCUIT BREAKER 230V 15KA, 1+N-POLE, D, 10A, D=70MM

Similar to image

Technical data:			
Overvoltage class		3	
type of voltage		AC/DC	
Tripping characteristic class		D	
Degree of pollution		3	
Mounting depth	mm	70	
Energy limiting class		3	
Number of poles		2	
Number of pitch units for width		2	
Product function / n-switching		Yes	
Supply voltage frequency / rated value	Hz	50	
Switching capacity current / in accordance with IEC 60947-2 / rated value	kA	30	
Breaking capacity current / acc. to EN 60898 / rated value	kA	15	
Supply voltage / for AC / rated value	V	230	
Current / for AC / rated value	А	10	
Protection class IP		IP20, with connected conductors	
Product extension / can be installed / supplementary device		Yes	
power loss		-	

Operational voltage Um		-
rated current In		-
Rated make-break capacity Icn		-
Rated service short-circuit breaking capacity Ics		-
Rated ultimate short-circuit breaking capacity lcu		-
Tripping characteristics Number		-
Tripping characteristic/-class Conventional tripping current I2, (x In)		-
rated current In IEC, DIN/VDE		-
Tripping characteristic/-class Test current I4, hold (x In)		-
rated current In / IEC, DIN/VDE		
• at 30 Cel	Α	10
• at 40 Cel	Α	9.4
• at 45 Cel	Α	9.1
• at 50 Cel	Α	8.7
• at 55 Cel	Α	8.1
• at 60 Cel	Α	8.1
Resistance against shock / according to IEC 60068-2-27		150m/s² at 11ms half-sine

Certificates/approvals:

General Product Approval

Declaration of Conformity



<u>IMQ</u>

ROSTEST





Manufacturer

Shipping Approval







other other

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/lowvoltage/mall

 ${\bf Service \& Support \ (Manuals, \ Certificates, \ Characteristics, \ FAQs, ...)}$


http://support.automation.siemens.com/WW/view/en/5SY7510-8/all


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


 $\underline{\text{http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SY7510-8}}$

CAx-Online-Generator

http://www.siemens.com/cax







last change: Nov 3, 2011