



BUSBAR ADAPTER SYSTEM UL508A/IE BUSBAR ADAPTER SYSTEM 60MM BUSBAR WIDTH: 5/10MM/TT-PROFILE UL RATING 80A/600V APPLICABLE IN FEEDER CIRCUITS IEC RATING 100A/690V FOR SIRIUS 3R CIRCUIT BREAKERS FOR SIRIUS 3R SIZE S3 LEAD OUTLET BOTTOM ADAPTER LENGTH 200MM ADAPTER WIDTH 72MM

Model	
product brandname	SETRON
Product designation	Busbar systems
Design of the product	Accessories
Operating voltage / at AC / rated value	690 V
Net weight	650 g

General Product Approval				Declaration of Conformity	Test Certificates
					spezielle Prüfbescheinigunge n
CSA	UR	UL		EG-Konf.	

Test Certificates	Shipping Approval	other
sonstig		sonstig
	PRS	

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1211-4TR00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8US1211-4TR00/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1211-4TR00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

