

BUSBAR SYSTEM, ACCESSORY BUSBAR DISTANCE 60 MM
BASE LENGTH: 1100 MM INCREASED CLEARANCE DISTANCES
INCREASED CREEPAGE DISTANCES ACC. UL508A ACC. TO
UL508



Model	
product brandname	SETRON
Product designation	Busbar systems
Design of the product	Accessories
Width	1 100 mm
Net weight	563 g

General Product Approval				Declaration of Conformity	Test Certificates
					spezielle Prüfbescheinigunge n
CSA	UR	UL		EG-Konf.	

Test Certificates	Shipping Approval		other
sonstig			sonstig
	PRS	RINA	

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1922-2UA01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8US1922-2UA01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1922-2UA01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

