

Busbar system, accessories Busbar center-to-center spacing 60 mm
Busbar support 3-pole for TT profile consists of 2 busbar holders and
2 end covers



Model	
Product brand name	SENTRON
Operating voltage / at AC / rated value	690 V
Suitability for use	Double T profile with end cover
Mechanical Design	
Busbar center-to-center spacing	60 mm
Certificates	

General Product Approval				Declaration of Conformity	Test Certific- ates
 CSA	 UR	 UL		 EG-Konf.	Special Test Certificate

Test Certific- ates	Shipping Approval		other
Miscellaneous	 PRS	 RINA	Miscellaneous

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1943-3AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8US1943-3AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1943-3AA00

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



8US1943-3AA0

