

BUSBAR ADAPTER MCCB, 160 A 60 MM BUSBAR
SYSTEM FOR 3VA10/11,VA50/51 200 X 77 MM



Model		
product brand name		SETRON
Design of the product		Accessories
Insulation voltage / rated value	V	800
Dissipation		
Power loss [W]		
• for rated value of the current / at AC / in hot operating state / per pole	W	10
• maximum	W	10
Current / at AC / rated value	A	144
Operating voltage / at AC / rated value	V	690
Height	mm	200
Width	mm	77
Net weight	kg	0.85

General Product Approval	Declaration of Conformity	Test Certificates	Shipping Approval
--------------------------	---------------------------	-------------------	-------------------



spezielle
Prüfbescheinigung
n



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/8US12134AU01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8US12134AU01/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US12134AU01

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

01.04.2016