



Model	
product brandname	SENTRON
General technical data	
Degree of pollution	3
Overvoltage category	1
Mechanical Design	
Height	63 mm
Width	29 mm
Number of slots	4
Depth	33 mm
Net weight	80 g
Connections according IEC	
Tightening torque	
• with screw-type terminals / maximum	0.25 N·m
• with screw-type terminals / minimum	0.22 N·m
Certificates	

General Product Approval	EMC	Declaration of Conformity	Test Certificates	other
--------------------------	-----	---------------------------	-------------------	-------



[Typprüfbescheinigung/Werkszeugnis](#)

[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9387-0TB50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3VA9387-0TB50/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9387-0TB50

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

12/16/2016