

# TECHNICAL DATASHEET

REV.00

# 619020100



## FEATURES:

- Linear and compact design
- Can be worn over any prescription spectacles thanks to its spherical lens
- Version unvented or provided with indirect ventilation system
- Wide, fully adjustable headband

## FEATURES FRAME:

Frame Typology	<b>Mask</b>
PPE field of view	<b>&gt;40°</b>
Complete PPE weight (g)	<b>84</b>
Size (mm)	<b>155</b>
Frame Features	<b>PVC</b>
Elastic Band Features	<b>Elastic tissue</b>
Ventilation System	<b>Indirect Ventilation</b>

## FEATURES OCULARS/LENSES:

VLT% (+/-5%)	<b>91.2</b>
Material Ocular/Flip-up	<b>Polycarbonate</b>
Colour	<b>Clear</b>
Technical Treatment	<b>Antiscratch PLUS Antifog PLUS</b>
Thickness [mm](+/- 0.1)	<b>2.25</b>
Curvature	<b>Spheric</b>
Optical Class	<b>1</b>
UV Protection	<b>380 nm</b>
Spare parts	<b>-</b>

## MARKS:

Standard Reference	<b>EN166 EN170</b>
Frame Marking	<b>U EN166 3 4 9 B 2C-1.2 CE</b>
Ocular/Flip-up Marking	<b>2C-1.2 U 1 B 9 K N CE</b>

## FIELDS OF EMPLOYMENT

Protection against droplets and splashes of liquids (3); Protection against high-speed particles 120 m/s - medium energy (B); Protection against large dust particles (>0.5 µm) (4); Protection against molten metals and hot solids (9); Resistance to fogging of oculars (N); Resistance to surface damage by fine particles (K)

Notes

