



# PRODUCT NUMBER: 3301120 Max Lite (Uncorded)

Learn more about our products at howardleight.com



# **Overview**

#### **Reference Number**

3301120

## **Product Type**

Hearing Protection

#### Range

Earplugs

## Line

Disposable Earplugs

#### Brand

Howard Leight by Honeywell

## Industry

- Industry Administration Agriculture Army Defence ATEX environment
- Automotive and Part Manufacturer Aviation Building and Construction Catering
- Chemical Industries Energy or Electricity Fire Protection brigades Fishing Food Industries
- Foundry Glass Industries Green Spaces Homeland defense Industrial Cleaning
- Iron and steel industry Laboratory Logistics Maintenance Medical and Pharmaceutical
- Metal steel
  Minning and Quarrying
  Offshore
  Paper Industries
  Petro-chemical
- Printing Industries Services Ship Building Telecoms Textile Industries Transportation
- Utilities Water treatment Welding Wood Industries

## **Product Use**

Single-Use Earplugs

# **Features & Benefits**

### **Feature**

SMALLER DIAMETER Ideal for workers with smaller ear canals, including women. LOW-PRESSURE POLYURETHANE FOAM Expands gently for comfortable long-term wear, eliminates feeling of "tightness" in ear canal. CONTOURED T-SHAPE Aids in easy insertion, removal from ear canal.

#### Benefit

Ideal for workers with smaller ear canals, Max Lite's low-pressure foam expands gently inside the ear canal for comfortable long-term wear, eliminating that feeling of "tightness." Its contoured T-shape delivers easy handling for insertion and removal. Plus, Max Lite is available with special cording, packaging and dispenser options, ideal for process industries with low tolerances for packaging waste.

# **Technical Description**

SNR (dB)

34

H (dB)

32

M (dB)

32

L (dB)

31

# **Attenuation Data**

Frequency (Hz) Frequenz (Hz) Fréquence (Hz)	63	125	250	500	1000	2000	4000	8000
Mean Attenuation (dB) Mittlere Dämmung (dB) Atténuation moyenne (dB)	-	35.5	36.7	39.0	37.4	33.8	41.9	43.3
Standard Deviation (dB) Standardabweichung (dB) Déviation standard (dB)	-	6.3	7.1	6.6	6.1	3.7	3.8	4.7
Assumed Protection (dB) Angenommener (dB) Protection suppossé (dB)	-	29.2	29.6	32.4	31.3	30.1	38.1	38.6

Size

Fits All

Color

Green

Shape

Corded

No

Weight (grs)

0.48

# **Certifications**

**■** E.C. Declaration of Conformity

**EC Category PPE** 

2

**Quality Assurance** 

ISO 9001 / 2000

**EC Certificate Number** 

151

**EC** Attestation

EC Attestation

**EC Attestation Number** 

9007685

# **Additional Information**

**User Manual** 

Instruction Manual - Max Lite (global)

# **Maintenance**

# Life Cycle

These plugs must be disposed of and replaced after each wearing.

## **Storage Information**

All earplugs should be stored before and between usages in a way that protects them from dirt, grease, and other contaminants.

## **Care Instructions**

Disposable earplugs are made of either TPE (Thermoplastic elastomers) or polyurethane foam. Washing and cleaning of disposable earplugs are not recommended. These plugs must be disposed of and replaced after each wearing. Excessive moisture reduces the attenuation and slows down the foam recovery which may lead to improper fit.

# **Packaging**

#### **EAN Code**

033552002901

© Honeywell International Inc.