

EC Declaration of Conformity

Manufacturer's name and address:	Möhlenhoff GmbH Museumstr. 54a 38229 Salzgitter
Product:	Actuator A5
Type designation:	see appendix

The designated product is in conformity with the European Directive:

2014/30/EU including amendments

"Directive of the European Parliament and of the Council on the harmonisation of the laws of the Member States relating to Electro-magnetic compatibility"

2014/35/EU including amendments

"Directive of the European Parliament and of the Council on the harmonisation of the laws of the Member States relating to electrical equipment designed for use within certain voltage limits"

(Only for Actuators with a nominal voltage over 50V AC or 75V DC)

2011/65/EU including amendments

"Directive of the European Parliament and of the Council on the restriction of the use of certain hazardous substances in electrical and electronic equipment"

Full compliance with the standards listed below proves the conformity of the designated product with the provisions of the above mentioned EC Directive:

DIN EN 60730-1:2012 DIN EN 60730-2-14:2009 DIN EN 50419:2006

Salzgitter, 04/04/2016 (Place, date)

(Legally binding signature of the issuer)



Appendix:

		1	2	3	4	5	6	7	8	9	10	11	12	
Device	OEM Actuator	Α												
- 00000000	Projekt Actuator	Ţ	Α											
Group														
	Fixed Cabel			_ s	т									
	Connector			E	s									
	Endswitch													ı
	Endswitch (LTG: yellow/red)			E	F									
	Endswitch change			E	G									
	Prop & Buchse			Р	R									
	Prop & Buchse mit 0-10 V with VWE			Р	0									
	Puls-Prop & Buchse			P	P									
	2-Point			2	Р								57	
	3-Point			3	Р									
	3-Punkt with 0-10 V			3	0									
	Prop & Buchse + VWE			Р	V									
	ECO			E	С									
	ECO VWE			E	W									
	Puls-Prop VWE			Р	W									
	Puls-Prop VWE				100		2							
Blank														
Version	7						0							
	free 120 V						1							
	230 V						2							
	12 V						3							
	24 V						4							
Control action								ļ.						
	AC/NC							0						
	AC/NO							1						
	DC/NC DC/NO							2						
	AC/DC/NC							4						
	AC/DC/NO							5						
Feature														
	3,0 mm								2					
	3,5 mm 4,0 mm								3					
	5 mm								5					
	6,5 mm								6					
												İ		
	100 N									0				
	80 N 125 N									1 2				
										10.00				
Generation	E4- O										_			
	5te Generation		_							<u> </u>	5			
Execution			- iii											
	with First-Open												0	
	without First-Open												1	
	with First-Open & without Dismantling protection												2	
	without First-Open & without Dismantling protection					0							3	
	free													