

SWEDISH TECHNICAL APPROVAL

0113/98

and decision on production control in accordance with 18-20 § Law (1994:847) on technical specification requirements for construction works etc., BVL

Purus Pipe fitting system

Holder	Purus AB, Södra Dragongatan 15, 271 39 Ystad. Tel: 010-414 49 00, fax: 010-414 59 96, e-mail: info@purus.se Internet: www.purus.se VAT number: 556361-1887.		
Product	Purus Pipe fitting system are made of PP and are available in dimension 32 mm and 40 mm. Factory installed sealings are made of TPE.		
Intended use	Fittings intended to be connected with pipes in DN 32 and DN 40 for soil and waste discharge within the building structure. The water temperature might momentary reach a maximum 93 °C. The fittings shall be replaceable after installation.		
Trade name	Purus Pipe fitting system.		
Approval	The products satisfy the requirements set forth in 2 § 3 BVL, in respect to and under conditions stated in this certificate, and are therefore approved in accordance with the provisions of the following sections of the Building Regulations issued by the National Board of Housing, Building and Planning (BBR):		
Associated documents	Waste water installations	6:641, 1:st and 2:nd paragraph	
	Design	6:644, 1:st sentence and 2:nd paragraph	
Associated documents	Installation instruction Purus pipe fitting system, dated by SP SITAC 2011-02-10. Use and maintenance instruction Purus pipe fitting system, dated by SP SITAC 2011-02-01.		
Control	Production control is to be performed in accordance with instructions for control dated 2007-02-22 and with registration number 210-97-0648. An independent inspection body, SP Technical Research Institute of Sweden, audits the control.		

Control (continued)	When the building proprietor performs inspection at the building site, he shall check the markings to ensure that the correct products have been supplied and that they are used in accordance with the requirements stated in the approval and the associated documents. He must also check that the product is accompanied by a manufacturing assurance, which certifies that the product has been manufactured in accordance with the documents on which this certificate is based.
Manufacturer	Production control includes the following site: Purus AB, Södra Dragongatan 15, 271 39 Ystad.
Marking	<p>The product is to be marked at the factory. The marking consists of a text on every product and packing supplied and includes:</p> <p><u>Product are marked with:</u></p> <p>Approval holder Material properties Product code/RSK-nr. Consecutive manufacture date of production</p> <p><u>Packaging are marked with:</u></p> <p>Approval holder Boverket's registered trademark Certification body and accreditation number Approval number Product code/RSK-nr. Dimension Inspection body</p>
Basis for approval	Report F52133 and F516526 from SP Technical Research Institute of Sweden. Production control P901641-09, F9059996 and P901641-10 from SP.
Comments	<p>The fittings are approved according to relevant parts of standard SS-EN1451-1:1998.</p> <p>This approval supersedes previous certificate with same number and reg. number T000914-03 dated 2008-06-25.</p>

Purus
PP
Number
Year/month

Purus
+
SP SITAC 1002
0113/98
Number
DN 32 or DN 40
SP

Period of
validity

This approval is valid until 2016-03-22.

The formal validity of an approval expires after the transitional period for the harmonised specification that makes it possible to CE-mark the product. However, the technical assessment showing that the product fulfils the requirements in the building regulations, issued by the Swedish National Board of Housing, Building and Planning, is not affected.

A blue ink signature of Ronald Green.

Ronald Green

A blue ink signature of Marcus Tillman.

Marcus Tillman