



Product certificate K99067/13

Issued 2021-08-01

Replaces K99067/12

Page 1 of 4

Sanitary tapware; Mechanical mixers

STATEMENT BY KIWA

With this product certificate, issued in accordance with the Kiwa Regulations for Certification, Kiwa declares that legitimate confidence exists that the products supplied by

Ideal Standard Productions-GmbH

as specified in this product certificate and marked with the Kiwa®-mark in the manner as indicated in this product certificate may, on delivery, be relied upon to comply with Kiwa evaluation guideline

BRL K607 “Sanitary tapware: Mechanical mixers” dated 10-10-2018

which covers the requirements of

EN 817:2008 “Sanitary tapware; Mechanical mixing valves”

Ron Scheepers
Kiwa

Publication of this certificate is allowed.

Advice: consult www.kiwa.nl in order to ensure that this certificate is still valid.

Kiwa Nederland B.V.

Sir Winston Churchilllaan 273
Postbus 70
2280 AB RIJSWIJK
The Netherlands
Tel. +31 88 998 44 00
Fax +31 88 998 44 20
info@kiwa.nl
www.kiwa.nl

Company

Ideal Standard International NV
Corporate Village - Gent Building
Da Vincilaan 2
B-1935 ZAVENTEM
Belgium



**Certification process
consists of initial and
regular assessment of:**

- quality system
- product

Sanitary tapware; Mechanical mixers

Technical specification

The products mentioned below belong to this certificate;

SERIES ALPHA

BC486AA	Basin mixer
BC490AA	Kitchen mixer
BC552AA	Basin mixer
BC646AA	Basin mixer
BC647AA	Basin mixer
BC648AA	Basin mixer
BC650AA	Basin mixer
BC660AA	Kitchen mixer with high U-spout
BC662AA	Kitchen mixer
BC663AA	Special tap for combination with boiler
BC678AA	Basin mixer
BC813AA	Kitchen mixer with high attached spout
BC814AA	Basin mixer

SERIES CERAFLEX

F1756AA	Basin mixer
F1757AA	Basin mixer
F1758AA	Basin mixer
F1759AA	Basin mixer
F1760AA	Basin mixer
F1761AA	Basin mixer
F1763AA	Bath/Shower mixer

SERIES CERAFINE

BC493AA	Shower mixer
BC495AA	Sink mixer with swivel spout
BC496AA	Basin mixer
BC497AA	Basin mixer
BC499AA	Shower mixer
BC500AA	Bath/Shower mixer
BC501AA	Sink mixer with swivel spout
BC554AA	Basin mixer
BC555AA	Basin mixer
BC683AA	Basin mixer
BC685AA	Basin mixer
BC686AA	Basin mixer
BC689AA	Basin mixer
BC692AA	Bath/Shower mixer
BC696AA	Basin mixer
BC697AA	Basin mixer
BC698AA	Basin mixer
BC699AA	Basin mixer
BC700AA	Basin mixer
BC701AA	Basin mixer
BC702AA	Basin mixer
BC703AA	Basin mixer

SERIES CERALINE

A6938AA	Wall mounted mixer
---------	--------------------

Sanitary tapware; Mechanical mixers

SERIES CONCEPT 100

BC514AA	Basin mixer, with pop-up outlet
BC515AA	Basin mixer, without pop-up outlet
BC523AA	Kitchen mixer

SERIES CONNECT AIR

F1751AA	Basin mixer
---------	-------------

SERIES DOT 2.0

BC320AA	Basin mixer
BC321AA	Basin mixer

SERIES GEOMETRY A4

F1765AA	Kitchen mixer
F1766AA	Kitchen mixer with extractable outlet
F1767AA	Kitchen mixer with extractable outlet

SERIES NIMBUS BLUE

F2959AA	Basin mixer
F2960AA	Basin mixer
F2961AA	Basin mixer
F2962AA	Basin mixer
F2963AA	Kitchen mixer
F2964AA	Kitchen mixer

SERIES JOY

BC851AA	Basin mixer with pop-up outlet
BC852AA	Basin mixer without pop-up outlet
BC853AA	Vessel mixer with pop-up outlet
BC854AA	Vessel mixer without pop-up outlet

SERIES CERALOOK

BC174AA	Kitchen mixer
---------	---------------

SERIE CERAFINE Model 0

BD131AA	Basin mixer with waste pop-up
---------	-------------------------------

The colour codes that can be used for "AA" for the mixers mentioned above are as follows:

GN	Silver Storm
U4	Matt black / chrome
U8	Matt grey pearl / chrome
Q9	Matt champagne / chrome
XG	Silk black

Sanitary tapware; Mechanical mixers

REMARK

The specified products were not yet assessed for compliance with all hygienic aspects as inserted in the "Drinkwaterbesluit" (Drinking Water Decree) and outlined in the "Regeling materialen en chemicaliën drink- en warm tapwatervoorziening" (Materials and chemicals in the supply of drinking water and warm tap water Regulation) dated 01-07-2017, as specified in clause 4.2 of the Kiwa guideline BRL-K607/05.

APPLICATION AND USE

The mechanical mixers are designed for application within following limits of use:

- working pressure from 50 kPa up to 1000 kPa;
- water temperature of maximum 90°C.

The recommended limits for correct operation are:

- working pressure of 100 kPa up to 500 kPa;
- water temperature of maximum 65°C.

MARKING

The Kiwa®-mark products are marked with the wordmark "KIWA".

Place of the mark:

- on the body.

Compulsory specifications:

- name or mark of the manufacturer; on the body;
- indication of the acoustic group, if classified; on the body;
- indication of the flow rate class; on the body.

Method of marking:

- non-erasable;
- visible after assembly.

RECOMMENDATIONS FOR CUSTOMERS

Check at the time of delivery whether:

- the supplier has delivered in accordance with the agreement;
- the mark and the marking method are correct;
- the products show no visible defects as a result of transport etc.

If you should reject a product on the basis of the above, please contact:

- Ideal Standard Produktions-GmbH

and, if necessary,

- Kiwa Nederland B.V.

Consult the supplier's processing guidelines for the proper storage and transport methods.