

# LDH32-SAI200K

## 32" Wall-mounted Digital Signage



#### Features:

- ·High quality panel, industrial-grade design, full metal casing.
- ·Dahua MPS platform provides unified remote management for system integrators and media operators.
- ·Strong 4 core processor provides powerful decoding capabilities, enabling premium display performance.
- ·Multiple installation modes satisfy a broad range of project requirements.



Power Supply

Consumption(Typical)

Consumption(Standby)

Operating Humidity

Type



Power & Environmental Conditions



AC100-240V. 50/60Hz

Internal

Less than 0.5W

10%~85%

35W





#### **Technical Specification**

Dis	р	lav	

Connectivity

External Control

Smart Signage Platform

Input

Wi-Fi

Speaker

Model	LDH32-SAI200K
Backlight	LED
Screen Size	32"
Aspect Ratio	16:9
Resolution	1920×1080
Display Colors	16.7M(8 bits)
Brightness	250nits
Contrast Ratio	1000:1
Viewing Angle(H×V)	178°/178°
Display Mode	Landscape/Portrait
Response Time	8ms
Lifespan	30,000h

3.5mm Audio In×1

Media Publish System 3.0

RS232

5W×2

Not Support

RJ45 ×1, USB ×2, TF Slot ×1, HDMI ×1, SIM Slot ×1,

### Operating Temperature 0°C~+40°C (32°F~104°F)

Mechanical	Specification
IVICCITATIICAI	Specification

Dimensions	720.4mm×414.9mm×51.1mm(37.90"×21.68"×2.30")
Package	845mm×540mm×150mm(43.11"×26.77"×6.49")
Bezel Width	11mm
Net Weight	13kg (28.66lb)
Gross Weight	17.8kg (39.24lb)

#### Accessory

Included in Box	Power cord
Wall Mount Kit	Yes
VESA Mount	400mm × 200mm

## LDH32-SAI200K





Processor	Quad-core Cortex-A17 up to 1.8GHz
Operating System	Android 8.1
RAM	2GB
Storage	16GB
Material Type	Video, audio, image, time, weather, countdown, txt, web page, stream media, pdf
Video	mp4,avi,mov,asf,wmv,mkv A single file can upload up to 2G, and the resolution cannot exceed 4K
Audio	mp3,wma,wav A single file can upload up to 500M
Image	jpg,jpeg,gif,bmp,png A single file can upload up to 30M, and the resolution cannot exceed 4K
Documents	PDF A single file can upload up to 500M
Decoding Capacity	1ch@4K or 4ch@1080P

## Dimensions(mm)

